

Biotic Regulation of the Environment

Key Issue of Global Change

Victor G. Gorshkov, Vadim V. Gorshkov and
Anastassia M. Makarieva

Biotic Regulation of the Environment

Key Issue of Global Change

Springer

London

Berlin

Heidelberg

New York

Barcelona

Hong Kong

Milan

Paris

Santa Clara

Singapore

Tokyo



Springer

Published in association with

Praxis Publishing

Chichester, UK



Professor V. G. Gorshkov
Leading Scientific Researcher
Department of Theoretical Physics
Petersburg Nuclear Physics Institute
St Petersburg
Russia

Dr V. V. Gorshkov
Senior Scientific Researcher
Laboratory of Ecology of Plant Communities
Komarov Botanical Institute
St Petersburg
Russia

Dr A. M. Makarieva
Junior Scientific Researcher
Department of Theoretical Physics
Petersburg Nuclear Physics Institute
St Petersburg
Russia

SPRINGER-PRAXIS BOOKS IN ENVIRONMENTAL SCIENCES
SUBJECT ADVISORY EDITOR: John Mason B.Sc., Ph.D.

ISBN 1-85233-181-X Springer-Verlag Berlin Heidelberg New York

British Library Cataloguing in Publication Data

Gorshkov, V. G. (Victor G.), 1935-

Biotic regulation of the environment : key issue of global change. — (Springer-Praxis books in environmental sciences)

1. Biotic communities 2. Sustainable development 3. Environmental protection

I. Title II. Gorshkov, Vadim V. III. Makarieva, Anastassia M.
577.8'2 ISBN 1-85233-181-X

Library of Congress Cataloging-in-Publication Data

Gorshkov, V. G., 1935-

Biotic regulation of the environment : key issue of global change/Victor G. Gorshkov,
Vadim V. Gorshkov, and Anastassia M. Makarieva.

p. cm. — (Springer-Praxis books in environmental sciences)

Includes bibliographical references (p.).

ISBN 1-85233-181-X (alk. paper)

1. Biotic communities. 2. Ecosystem management. 3. Nature—Effect of human
beings on. 4. Environmental policy.

I. Makarieva, Anastassia Mikhailovna. II. Gorshkov, Vadim V. III. Title.
IV. Series.

QH541.G64 2000

577.2'2—dc21

00-037164

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers.

© Praxis Publishing Ltd, Chichester, UK, 2000

Printed by MPG Books Ltd, Bodmin, Cornwall, UK

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: Jim Wilkie

Copy editor: Rachael Wilkie

Typesetting: Originator, Gt. Yarmouth, Norfolk, UK

Printed on acid-free paper supplied by Precision Publishing Papers Ltd, UK

Contents

Preface	ix
1 General overview	1
1.1 External environment and internal milieu	1
1.2 Adaptation to, or regulation of, the environment?	3
1.3 Major inconsistencies in the genetic adaptation paradigm.	5
1.4 Discreteness and stability of biological species	5
1.5 Global environment formed by the natural biota	8
1.6 Biotic regulation of the environment	9
1.7 Concepts of genetic adaptation and biotic regulation are mutu- ally exclusive.	11
1.8 Empirical evidence for the biotic regulation of the environment	13
1.9 Stability of life organisation	15
1.10 Mechanism of biotic regulation.	17
1.11 Natural distribution of energy consumption over individuals of different body size	19
1.12 Conserving biodiversity or biotic regulation?	23
1.13 Biotic regulation cannot be replaced by technology.	24
1.14 Ecological problems of humankind	24
1.15 Demography	28
2 What is life?	33
2.1 Distinctive properties of life	33
2.2 Physical and biological stability.	35
2.3 Sexual dimorphism	39
2.4 Competitiveness and organisation of life	41
2.5 Altruistic interaction of individuals	43
2.6 Notorious group selection	47
2.7 The basic principle of biology.	49
2.8 Impossibility of globally-correlated living objects	50

2.9	Norm and defect	51	6.7	Forest succession: recovery of forest communities after perturbations	177
2.10	The quantum nature of life	53	6.8	Forest succession: Analysis of empirical evidence	182
2.11	The ecological community as the highest level of biological organisation	57	6.8.1	Forest succession: Analysis of empirical evidence	182
3	Ecology of organisms with different body sizes	60	6.8.2	Recovery dynamics	187
3.1	Metabolic power of individuals	60	6.8.3	Fires, windfalls, insect invasions: Natural periodicity	191
3.2	Body size limits	63	6.8.4	The climate issue	197
3.3	Energetics and body size of photosynthesising plants	67	6.8.5	Current state of forest communities	198
3.4	Sensitivity of the biota	70	7	Energy and information	201
3.5	Fluctuations of synthesis and destruction of organic matter	71	7.1	Order and decay	201
3.6	Immobile and locomotive organisms	74	7.2	Solar energy	203
3.7	Distribution of consumption by heterotrophs with respect to their body size	78	7.3	Stores and fluxes of information in natural biota and civilisation	205
3.8	Distribution of biomass of heterotrophs with respect to their body size	82	7.4	Ecological information of large animals	215
4	Ecology of locomotive animals	86	8	Unique nature of climatic stability on earth	217
4.1	Daily average travelling distance	86	8.1	Major climatic characteristics of earth	217
4.2	The maximum speed of movement for animals	88	8.2	Spectral characteristics of thermal radiation	223
4.3	Maximum permissible share of biomass consumption by locomotive animals	93	8.3	Traditional estimates of the contributions from different greenhouse gases to the greenhouse effect	224
4.4	Settled and nomadic lifestyle of locomotive animals	94	8.4	Dependence of the greenhouse effect on concentrations of the greenhouse gases	226
4.5	Carnivores	97	8.5	Possible climates on earth and their stability	230
4.6	Diffusion of excreta	100	8.6	Physical stability of the earth's climate	233
4.7	Conclusions	102	8.7	Biotic stability of the modern climate of earth	236
5	Ecological principles of biotic regulation	109	9	Genetic bases of biotic regulation and life stability: Theoretical consideration	242
5.1	Ecological limitations on expansion of species	109	9.1	Organisation of genetic information of species	242
5.2	Biotic and inorganic fluxes of matter in the biosphere	110	9.2	Population in the absence of stabilising selection	245
5.3	Evolutionary progress and environmental degradation	111	9.3	Stabilisation of genetic information of species	250
5.4	Matter cycles in the biosphere	116	9.4	Sensitivity of competitive interaction	254
5.5	Environmental homeostasis and interpretation of the biotic Le Chatelier principle	119	9.5	Normal genotypes and the normal genome	256
5.6	Biotic regulation of matter cycles	125	9.6	Normal, decay and adaptive polymorphism in a population	262
5.7	Limiting biogens. resources: Renewable and non-renewable	133	9.7	Stability of biological species under natural conditions	265
5.8	Immigration in the ecological community	138	9.8	Stability of biological species under unnatural conditions	268
6	Biotic regulation in action	145	9.9	Biological species: Definition	274
6.1	The biological pump of atmospheric carbon	145	10	Genetic bases of biotic regulation and life stability: Analysis of empirical evidence	278
6.2	Changing production of dissolved organic matter in the ocean	153	10.1	Genetic recombination	278
6.3	Global carbon cycle change	154	10.2	Sexual dimorphism and regulation of birth rate of decay individuals	281
6.4	Historical dynamics of the global change	162	10.3	Haploidy and diploidy	284
6.5	Stopping the global carbon change	168			
6.6	The water cycle	171			

10.4 Effective haploidy: Autosomal heterozygosity and sex hemizygosity	287
10.5 Threshold heterozygosity Values and Haldane's rule	290
10.6 Estimates of lethal and hybrid heterozygosities	293
10.7 Brief account of different views on the nature of intraspecific variability.	295
10.8 Poisson distribution of the number of polymorphic loci.	299
10.9 Natural level of heterozygosity in mammals	306
11 Evolution.	315
11.1 Evolution and environmental change	315
11.2 Origin of new species	316
11.3 Evolution of prokaryotes and eukaryotes	320
11.4 Uniformity of evolutionary tempo in different biological taxa . . .	326
11.5 Conclusions.	328
12 Conclusions: Can the Biosphere Be Treated as a Resource?.	329
References.	340
Index	365

Preface

At the beginning of the third millennium, amidst the consequences of the explosive scientific and technological progress of the twentieth century, humanity is faced with a vague perspective of further development of civilisation. On the one hand, the inherent human claim for improving living standards urges further acceleration of economic growth and exploitation of biospheric resources. On the other hand, it becomes evident that uncontrolled spontaneous development of modern civilisation, determined by catering for immediate human demands, goes hand in hand with global environmental devastation. This, in its turn, inevitably impairs the quality of life and undermines the security of human existence.

Humanity is searching for a compromise between the two trends. Hopes for sustainable development are most often associated with creation of technologies capable of imposing a stabilising impact upon the global environment. This way of solving the problem necessitates further enhancement of civilisation's power, growth of human population and the inevitable cultivation of the remaining natural biota and other biospheric resources. The fact that many difficult issues have been successfully settled so far with the help of science and technology, works to convince people that current environmental problems of humanity can be similarly resolved. However, the statement that a technological solution to the problem of global environmental security is in principle possible, is not self-evident and requires a detailed scientific investigation.

A different path of development compatible with long-term environmental safety lies through conservation and restoration of a substantial part of the Earth's biosphere in its natural, nonperturbed state bearing in mind the stabilising potential of the natural biota of Earth with respect to the global environment. Stabilising properties of the natural nonperturbed biota become evident from the fact that the global environment has been supported in a stable state suitable for life for the last four billion years in spite of external destabilising factors. Restoration of the stabilising biotic potential would mean relaxation of anthropogenic pressure on perturbed territories and complete abandonment of further cultivation of the natural

biota. This strategy sets a ceiling to exploitation of biospheric resources, economic growth and global human population numbers.

There is a very essential difference between the two alternative strategies of civilisation's development. Ample scientific evidence accumulated up to now proves the reality of achieving a sustainable state of civilisation, were the second path of development associated with conservation of the stabilising biotic potential the one to be followed.

In contrast, sustainability of the first strategy of development based on complete cultivation of the biosphere and technological means of ensuring environmental stability remains entirely unproved. It may not be considered as real until a serious scientific investigation of this question yields a positive answer. Only then will humanity be free to choose between the alternative strategies of development, which may be done on the basis of the democratic choice of the majority of people of Earth.

Until such research is conducted, there is no free choice but only one safe strategy of civilisation development, namely to rely on the conservation of the natural biota of Earth. The technological way of development along which modern civilisation is now spontaneously moving is burdened with the risk of global ecological catastrophe and places the very existence of humanity under threat.

This book presents an attempt to perform scientific analysis of possible strategies for the development of civilisation and to work out quantitative recommendations that could be used by people when choosing their future. The obtained results show that it is impossible to substitute the existing natural biotic mechanism of environmental stabilisation by any technological means, whatever the advanced stage of technological progress of civilisation.

Acknowledgements

We are particularly grateful to Professor K. Ya. Kondratyev who persuaded us of the necessity of writing the book. We express our deep appreciation to Dr Brendan Mackey for most fruitful discussions of the major issues of the book. Special thanks are due to the Administration of the Department of Theoretical Physics of Petersburg Nuclear Physics Institute for providing Victor Gorshkov and Anastassia Makarieva with excellent working conditions. Our work was in part supported by the Russian State Committee of Ecology.

1

General overview

We dedicate this book to Ella Gorshkova

This chapter presents an outline of all the problems to be covered in the book.

The natural biota (i.e. flora and fauna) of Earth undisturbed by human activities regulates the environment on both local and global scales and compensates for any deviations from the optimal environmental characteristics suitable for life as a whole and humans in particular. Natural biotic regulation of the environment is based on genetic information encoded in genomes of natural biological species combined into ecological communities. When the degree of anthropogenic cultivation of the biota goes beyond the ecologically-permissible level, the remaining natural biota of Earth loses its ability to stabilise the global environment. As a result, the global environment degrades. Namely the human-induced perturbation of the natural biota rather than direct anthropogenic forcing appears to be the primary cause of the observed global change. We quantify the area that has to be occupied by natural biota unperturbed by modern industrial society in order to ensure long-term environmental stability on Earth.

1.1 EXTERNAL ENVIRONMENT AND INTERNAL MILIEU

Each organism is characterised by an internal milieu and exists in an external environment, which drastically differ from one another. Such a situation is possible due to the fact that every organism has a natural envelope that protects and separates it from the external environment. Trees have bark, mammals have skin and hair, birds have feathers, living cells have special protecting membranes, etc. The internal milieu of an organism is maintained by the well coordinated work of its internal organs. Failure of any of the internal organs leads to deterioration of the internal milieu and impairment of the general condition (health) of the individual.

Functioning of the internal organs of the organism relies on the continuous consumption of nutrients and energy from the external environment. Within the living body, organic nutrients are decomposed and excreted from the organism