

## References

- Ahti T. and Oksanen J. (1990) Epigenic lichen communities of taiga and tundra regions. *Vegetatio*, **86**, 39–70.
- Ajrat G.L., Ketner P. and Duvigneaud P. (1979) Terrestrial primary production and phytomass. In: Bolin B. (Ed.) *The Global Carbon Cycle*, SCOPE, 13. Wiley, Chichester, 129–182.
- Alexeyev V.A. (1975) *Forest light regime*. Nauka, Leningrad (in Russian).
- Alfaro R.I. and Singh P. (1997) Forest health management: a changing perspective. In: Vol 1. *Forest and tree resources*. Proc. XI World Forestry Congress, 13–22 October 1997, Antalia, Turkey, 157–166.
- Allen C.W. (1955) *Astrophysical Quantities*. Athlone Press, London.
- Altukhov Yu.P. (1991) *Population Genetics, Diversity and Stability*. Harwood Academic, New York.
- Alwarez W. and Asaro F. (1990) An extraterrestrial impact. *Sci. Am.*, **263**, 78.
- Amabile-Cuevas C.F. and Chicurel M.E. (1992) Bacterial Plasmids and Gene Flux. *Cell*, **70**, 189–199.
- Andelman S.J. (1987) Evolution of concealed ovulation in vervet monkeys *Cercopithecus aethiops*. *Am. Nat.*, **129**, 785–799.
- Andrijanov A.P. (1954) *Fishes of North Seas of USSR*. Acad., Moscow (in Russian).
- Atkins A.R. and Nicholson J.D. (1963) An accurate constant-work-rate ergometer. *J. Appl. Physiol.*, **18**, 205.
- Avise J.C. and Aquadro C.F. (1982) A comparative summary of genetic distances in vertebrates. *Evol. Biol.*, **15**, 151–185.
- Avise J.C., Walker D. and Johns G.C. (1998) Speciation durations and Pleistocene effects on vertebrate phylogeography. *Proc. R. Soc. Lond. B.*, **265**, 1707–1712.
- Ayala F.J. (1999) Molecular clock mirages. *BioEssays*, **21**, 71–75.
- Ayala F.J. and Fitch W.M. (1997) Genetics and the origin of species: an introduction. *Proc. Nat. Acad. Sci. USA*, **94**, 7691–7697.
- Ayala F.J. and Kiger J.A. (1984) *Modern Genetics*. Benjamin, London.
- Baerlocher F. (1990) The Gaia hypothesis: A fruitful fallacy? *Experimentia*, **46**, 232–238.
- Bannikova L.V. and Zubareva L.A. (1995) Genetic structure of some native and commercial breeds of cattle (*Bos taurus*) from Eurasia. *Genetika*, **31**, 697–708.
- Barnola J.M., Pimienta P., Raynaud D. and Korotkevich Y.S. (1991) CO<sub>2</sub> climate relationship as deduced from Vostok ice core: a reexamination based on new measurements and on re-evolution of the air dating. *Tellus*, **43B**, 83–90.
- Barry R.G. and Chorley R.J. (1987) *Atmosphere, Weather and Climate*. Methuen, New York.
- Bauer J.E., Druffel E.R.M., Williams P.M., Wolgast D.M. and Griffin S. (1998) Temporal variability in dissolved organic carbon and radiocarbon in the eastern North Pacific Ocean. *J. Geophys. Res.*, **103C2**, 2867–2881.
- Baumgartner H. and Reichel E. (1975) *The World Water Balance: Mean Annual Global Continental and Maritime Precipitation, Evaporation and Runoff*. Elsevier, Amsterdam.
- Bazzaz F.A. (1975) Plant species diversity in old field successional ecosystem in Southern Illinois. *Ecology*, **56**, 485–488.
- Begon M., Harper J.L. and Townsend C.R. (1996) *Ecology*. 3rd Ed. Blackwell, Oxford.
- Begon M., Harper J.L. and Townsend C.R. (1986) *Ecology. Individuals, Populations and Communities*. Blackwell Science Publishers, London.
- Bell G. (1982) *The Masterpiece of Nature: The Evolution and Genetic of Sexuality*. Univ. California, San Francisco.
- Belov V.S. (1976) The effect of winds on forest. *Forest science, forest cultures and soil science*, **5**, 103–108 (in Russian).
- Bergeron Y., Prairie Y.T., Richard P.J.H. and Duchesneau R. (1996) Holocene fire frequency and forest composition in the Canadian southeastern boreal forest. In: Bergeron Y., Frisque J. (Eds.) *Workshop Abstracts of Second International workshop on disturbance dynamics in Boreal Forests. Rouyn-Noranda, Québec, Canada, August 1996*. Université du Québec, Rouyn-Noranda, 11–14.
- Berggren W.A. and Van Couvering J.A. (Eds.) (1984) *Catastrophes and Earth History: The New Uniformitarianism*. Princeton University, New York.
- Berman E.R. (1975) *Geothermal Energy*. Neyes Data Co, London.
- Bisazza A., Rogers L.J. and Vallortigara G. (1998) The origins of cerebral asymmetry: a review of evidence of behavioural and brain lateralization in fishes, reptiles and amphibians. *Neurosci. Biobehav. Rev.*, **22**, 411–426.
- Bishop J.A. and Cook L.M. (1975) Moths, melanism and clean air. *Sci. Am.*, **232**, 90–99.
- Blondel J., Pradel R. and Lebreton J.-D. (1992) Low fecundity insular blue tits do not survive better as adults than high fecundity mainland ones. *J. Animal. Ecol.*, **61**, 205–213.
- Bolin B., Björkström A., Holmén K. and Moore B. (1983) The simultaneous use of tracers for ocean circulation studies. *Tellus*, **35B**, 206–236.
- Bongaarts J. (1994) Can the growing human population feed itself? *Sci. Am.*, **270**, 36–42.
- Bonnell M.L. and Selander R.K. (1974) Elephant seals: genetic variation and near extinction. *Science*, **184**, 908–909.

- Borisenkov E.P. and Pasetsky V.M. (1988) *Thousandth chronicle of extraordinary natural phenomena*. Mysl, Moscow (in Russian).
- Bormann B.T. and Sidle R.C. (1990) Changes in productivity and distribution of nutrients in a chronosequence at Glacier Bay National Park, Alaska. *Journal of Ecology*, **78**, 561–578.
- Bormann F.N. and Likens G.E. (1979) *Pattern and process in a forested ecosystem*. Springer, New York.
- Bormann F.N. and Likens G.E. (1994) *Pattern and process in a forested ecosystem. Disturbance, Development and the Steady State Based on the Hubbard Brook Ecosystem Study*. 2nd Ed. Springer, Berlin.
- Borovikov G.A. (1912) *Brief description of West Trans Angara vegetation. Materials of the soil-botanical expedition on colonisation regions of the Asian Russia. Part II. Botanical research of the 1909*. St.-Petersburg (in Russian).
- Bouwman A.F. (1989) *The role of soil and land use in the greenhouse effect*. International Soil Reference and Information Center (ISRIC), Wageningen, The Netherlands.
- Bowling A.T. and Ryder O.A. (1987) Genetic studies of blood markers in Przewalski's horse. *J. Hered.*, **78**, 75–80.
- Bradbury J.W. and Andersson M.B. (1987) *Sexual Selection Testing the Alternatives*. Wiley, New York.
- Brain K. and McNab B.K. (1980) Food habits, energetics, and population biology of mammals. *Am. Nat.*, **116**, 106–124.
- Brais S., Camiré C., Bergeron Y. and Paré D. (1995) Changes in nutrient availability and forest floor characteristics in relation to stand age and forest composition in the southern part of North-Western Quebec. *Forestry Ecol. Management*, **76**, 181–189.
- Brillouin L. (1956) *Science and Information Theory*. Academic Press, New York.
- Brody S. (1945) *Bioenergetics and Growth*. Reinhold, New York.
- Broecker W.S. (1982) Ocean chemistry during glacial time. *Geochim. Cosmochim. Acta*, **46**, 1689–1705.
- Broecker W.S. and Peng T.-H. (1974) Gas exchange rates between air and sea. *Tellus*, **26**, 21–24.
- Broecker W.S., Peng T.-H., Ostlund G. and Stuiver M. (1985) The distribution of bomb radiocarbon in the ocean. *J. Geophys. Res.*, **90**, 6953–6970.
- Broecker W.S., Takahashi T., Simpson H.J. and Peng T.-H. (1979) Rate of fossil fuel carbon dioxide and the global carbon budget. *Science*, **206**, 409–418.
- Brutsaert W. (1982) *Evaporation into the Atmosphere: Theory, History and Applications*. D. Riedel Publ., Dordrecht, Holland.
- Bryant D., Nielsen D. and Tangleay L. (1997) *The Last Frontier Forests: Ecosystems and Economies on the Edge*. World Resources Institute, Washington.
- Buckingham R.H. and Grosjean H. (1986) The accuracy of mRNA-tRNA recognition. In: Galas D.J., Kirkwood T.B.L. and Rosenberger R.F. (Eds.) *Accuracy in Molecular Processes: Its Control and Relevance to Living Systems*. Chapman and Hall, London.
- Budyko M.I., Ronov A.B. and Yanshin A.L. (1987) *History of the Earth's Atmosphere*. Springer, Berlin.
- Burt A., Bell G. and Harvey P.H. (1991) Sex differences in recombination. *J. Evol. Biol.*, **4**, 259–277.
- Calder W.A. (1974) Consequences of body size for avian energetics. In: Paynter R. A. (Ed.) *Avian Energetics*. Publ. Nuttal Ornithological Club, Cambridge, No.15, 41–68.
- Campbell S. and Liegel L. (1996) *Disturbance and Forest Health in Oregon and Washington*. USAD For. Serv. Pac. Northwest Sta. Gen. Tech. Rep. PNV-GTR-381.
- Cano M.I. and Santos J.L. (1990) Chiasma frequencies and distributions in gomphocerine grasshoppers: a comparative study between sexes. *Heredity*, **64**, 17–23.
- Cavagna, G.A. and Kaneko, M. (1977) Mechanical work and efficiency in level walking and running. *J. Physiol.*, **268**, 467–481.
- Chahine M.T. (1992) The hydrological cycle and its influence on climate. *Nature*, **359**, 373–380.
- Charlesworth B., Coyne J.A. and Barton N.H. (1987) The relative rates of evolution of sex chromosomes and autosomes. *Am. Nat.*, **130**, 113–146.
- Chazdon R.L. and Field N. (1984) Light environments of tropical forests. In: Medina E. et al. (Eds.) *Physiological ecology of plants of the wet tropics*. W. Junk, The Hague.
- Chen C.-T. A., Gong G.-C., Wang S.-L. and Bychkov A.S. (1996) Redfield ratios and regeneration rates of particulate matter in the Sea of Japan as a model of closed system. *Geophysical Res. Lett.*, **23**, 1785–1790.
- Chislenko L.L. (1981) *Structure of Flora and Fauna as Related to Body Size of Organisms*. Moscow Univ., Moscow (in Russian).
- Ciais P., Tans P.P., Trolier M., White J.W.C. and Francey R.J. (1995) A large Northern Hemisphere terrestrial CO<sub>2</sub> sink indicated by the <sup>13</sup>C/<sup>12</sup>C ratio of atmospheric CO<sub>2</sub>. *Science*, **269**, 1098–1102.
- Cloud P.E. (1972) A working model of the primitive earth. *Am. J. Sci.*, **240**, 537–548.
- Clutton-Brock T.H. (1982) Sons and daughters. *Nature*, **298**, 11–12.
- Cohn J.P. (1986) Surprising cheetah genetics. *Bioscience*, **36**, 358–361.
- Courtillot V.E. (1990) Volcanic eruption. *Sci. Am.*, **263**, 85.
- Covington W.W. (1976) Forest floor organic matter and nutrient content and leaf fall during secondary succession in northern hardwoods. *Ph.D. Thesis*, Yale University, New Haven, CT.
- Covington W.W. (1981) Changes in forest floor organic matter and nutrient content following clear cutting in northern hardwoods. *Ecology*, **62**, 41–48.
- Coyne J.A. and Orr H.A. (1989) Patterns of speciation in *Drosophila*. *Evolution*, **43**, 362–381.
- Crocker R.L. and Major J. (1955) Soil development in relation to vegetation and surface age at Glacier Bay, Alaska. *Journal of Ecology*, **43**, 427–448.
- Curio E. (1989) Some aspects of avian mortality patterns. *Mitteilungen Zoologisches Museum Berlin (Annalen für Ornithologie)*, **65**, Suppl. 13, 47–70.

- Daily G., Dasgupta P., Bolin B., Crosson P., du Guerny J., Ehrlich P., Folke C., Jansson A.M., Jansson B.-O., Kautsky N., Kinzig A., Levin S., Mler K.-G., Pinstrup-Andersen P., Siniscalco D. and Walker B. (1998) Food production, population growth and environment. *Science*, **281**, 1291–1292.
- Damuth J. (1981a) Population density and body size in mammals. *Nature*, **290**, 699–700.
- Damuth J. (1981b) Home range, home range overlap and species energy use among herbivorous mammals. *Biol. J. Linn. Soc.*, **15**, 185–193.
- De Grandpré L., Gagnon D. and Bergeron Y. (1993) Changes in the understory of Canadian southern boreal forests after fire. *Journal of Vegetation Science*, **4**, 803–810.
- De Voogs C.G.N. (1979) Primary production in aquatic environments. In: Bolin B., Degens E.T., Kempe S. and Ketner P. (Eds.) *The Global Carbon Cycle*. Wiley, New York, 259–292.
- Degens E.T., Berendt M., Gotthardt B. and Reppmann E. (1968) Metabolic fractionation of carbon isotopes in marine plankton. *Deep-Sea Res.*, **15**, 11–20.
- Degens E.T., Kempe S. and Spitzky A. (1984) Carbon dioxide: a biogeochemical portrait. In: Hutziger O. (Ed.) *The Handbook of Environmental Chemistry*, vol. 1, part C. Springer, Berlin, 127–215.
- Dickinson E. (Ed.) (1987) *The geophysiology of Amazonia: Vegetation and climate interaction*. Wiley, New York.
- Dinerstein E. and McCracken G.F. (1990) Endangered greater one-horned rhinoceros carry high levels of genetic variation. *Conserv. Biol.*, **4**, 417–422.
- Dobzhansky T. (1951) *Genetics and the Origin of Species*. 3rd ed. Columbia Univ., New York.
- Dokuchayev V.V. (1954) *Selected Works*. AN SSSR, Moscow (in Russian).
- Domingo E., Escarmis C., Sevilla N., Moya A., Elena S.F., Quer J., Novella I.S. and Holland J.J. (1996) Basic concepts in RNA virus evolution. *FASEB J.*, **10**, 859–864.
- Doran J.W., Elliot E.T. and Paustian K. (1998) Soil microbial activity, nitrogen cycling, and long-term changes in organic carbon pools as related to fallow tillage management. *Soil and Tillage Research*, **49**, 3–18.
- Dorit R.L., Akashi H. and Gilbert W. (1995) Absence of polymorphism at the ZFY locus on the human Y chromosome. *Science*, **268**, 1183–1185.
- Drake J.W. (1969) Comparative rates of spontaneous mutation. *Nature*, **221**, 1128–1132.
- Drake J.W. (1974) The role of mutation in bacteria evolution. *Symp. Soc. Gen. Microbiol.*, **24**, 41–58.
- Drake J.W. (1991) A constant rate of spontaneous mutation in DNA-based microbes. *Proc. Natl. Acad. Sci. USA*, **88**, 7160–7164.
- Drake J.W. (1993) Rates of spontaneous mutations among RNA viruses. *Proc. Natl. Acad. Sci. USA*, **90**, 4171–4175.
- Druffel E.R.M. and Benavides L.M. (1986) Input of excess CO<sub>2</sub> to surface ocean based on <sup>13</sup>C/<sup>12</sup>C ratios in a banded Jamaican sclerosponge. *Nature*, **321**, 58–61.
- Druffel E.R.M. and Williams P.M. (1990) Identification of a deep marine source of particulate organic carbon using bomb <sup>14</sup>C. *Nature*, **347**, 172–174.
- Druffel E.R.M., Williams P.M. and Suzuki Y. (1989) Concentrations and radio-carbon signatures of dissolved organic matter in the Pacific ocean. *Geophys. Res. Lett.*, **15**, 991–994.
- Dugdale R.C. and Goering J.J. (1967) Uptake of new and regenerated forms of nitrogen in primary productivity. *Limnol. Oceanogr.*, **12**, 196–207.
- Duvigneaud P. (1974) *La Synthèse Ecologique*. Doin, Paris.
- Dyrenkov S.A. (1984) *Structure and dynamics of spruce forest of taiga zone*. Nauka LO, Leningrad (in Russian).
- Esfroimson V.P. (1932) On some problems of accumulation and action of lethals. *Biological Journal*, **1**, 87–101 (in Russian).
- Ehrhardt J.P. and Seguin G. (1978) *Le plancton, composition, écologie, pollution*. Borgas, Paris.
- Eigen M. (1971) *Selforganization of Matter and the Evolution of Biological Macromolecules*. Springer, Berlin.
- Eisenberg J. (1981) *The Mammalian Radiations: an Analysis of Trends in Evolution, Adaptation and Behavior*. Athlone Press, London.
- Emlen S.T. and Oring L.W. (1977) Ecology, sexual selection, and the evolution of mating systems. *Science*, **197**, 215–223.
- Engelmark O. (1987) Fire history correlations to forest type and topography in northern Sweden. *Annales Botanici Fennici*, **24**, 317–324.
- Falkowski P.G. and Wilson C. (1992) Phytoplankton productivity in the North Pacific Ocean since 1900 and implications for absorption of anthropogenic CO<sub>2</sub>. *Nature*, **358**, 741–743.
- Falkowski P.G. and Woodhead A.D. (Eds.) (1992) *Primary Productivity and Biogeochemical Cycles in the Sea*. Plenum, New York.
- FAO (1995) *Forest fire statistics, 1992–94*. Timber Bulletin, UN Publication, **48**(4).
- Farrar J.F. (1976) The lichen as an ecosystem: observation and experiment. In: Brown D.H., Hawksworth D.L. and Bayley R.H. (Eds.) *Lichenology: Progress and Problems*. Academic, New York, 385–406.
- Fedorov V.D. and Gilmanov T.G. (1980) *Ecology*. Moscow Univ., Moscow (in Russian).
- Fisher R.A. (1930) *The Genetical Theory of Natural Selection*. Clarendon Press, Oxford.
- Fogg G.E. (1975) Biochemical pathways in unicellular plants. In: Cooper J.P. (Ed.) *Photosynthesis and Productivity in Different Environments*. Cambridge.
- Fonda R.W. (1974) Forest succession in relation to river terrace development in Olympic National Park, Washington. *Ecology*, **55**, 927–942.
- Forest Fund of Russia (1995) *Statistical collection*. ARIC, Moscow (in Russian).
- Foster T.J. (1983) Plasmid-determined resistance to antimicrobial drugs and toxic metal ions in bacteria. *Microbiol. Rev.*, **47**, 361–409.
- Friedli H., Lotscher H., Oeschger H., Siegenthaler U. and Stauffer B. (1986) Ice core record of the <sup>13</sup>C/<sup>12</sup>C ratio in atmospheric CO<sub>2</sub> in the past two centuries. *Nature*, **324**, 237–238.

- Fuerst P.A. and Ferrell R.E. (1983) The analysis of hidden electrophoretic variation: interspecific electrophoretic differentiation and amino acid divergence. *J. Mol. Evol.*, **19**, 449–454.
- Furyaev V.V. (1996) *The Role of Fires in Forest Formation Process*. Nauka SO, Novosibirsk (in Russian).
- Furyaev V.V. and Kireyev D.M. (1979) *Investigation of Post-fire Dynamics of Forests on the Landscape Basis*. Nauka SO, Novosibirsk (in Russian).
- Gagarina E.I. (1996) Soils and soil cover of plateau-form heights in the north-west of the Russian plain. *Vestnik (Herald) of St.-Petersburg University*. Ser. 3, **1**, 62–74 (in Russian).
- Galasyeva T.V. (1977) Localization of hotbeds of tree pests in forest, burnt-out in 1972 in the Moscow region. *PhD Thesis*, Leningrad (in Russian).
- Galenko E.P. (1983) *Phytoclimate and Energy Factors of Productivity of North European Coniferous Forest*. Nauka LO, Leningrad (in Russian).
- Gammon R.H., Komhyr W.D. and Peterson J.T. (1986) The global atmospheric CO<sub>2</sub> distribution 1968–1983: Interpretation of the results of the NOAA/GMCC measurement program. In: Trabalka J.R. and Reichle D.F. (Eds.) *The Changing Carbon Cycle: A Global Analysis*. Springer, Berlin.
- Gavrilov V.M. (1994) General regularities of temperature impact on energetics of endothermic animals. *Doklady (Proceedings) of the Russian Academy of Sciences*, **334**, 121–126 (in Russian).
- Geodakyan V.A. (1987) *Evolutionary logic of sex differentiation in phylogenesis and ontogenesis*. Doctoral Thesis. Koltsov Inst. of Developmental Biology, Moscow (in Russian).
- Gessaman J.A. (Ed.) (1973) *Ecological Energetics of Homeotherms*. Utah State Univ., Logan, Utah.
- Giller P.S. (1984) *Community Structure and the Niche*. Chapman and Hall, London.
- Ginatulin A.A. (1984) *Structure, Organisation and Evolution of Genome of Vertebrates*. Nauka, Moscow (in Russian).
- Ginzburg V.L. (1985) *Physics and Astrophysics*. Pergamon Press.
- Goldammer J. and Furyaev V.V. (Eds.) (1996) *Fire in Ecosystem of Boreal Eurasia*. Kluwer.
- Golley F.B. (1973) Impact of small mammals on primary production. In: Gessaman J.A. (Ed.) *Ecological Energetics of Homeotherms*. Utah State Univ., Logan, Utah, 147–142.
- Goodman M.F. and Fygenson K.D. (1998) DNA polymerase fidelity: from genetics toward a biochemical understanding. *Genetics*, **148**, 1475–1482.
- Gore A. (1992) *Earth in the Balance: Ecology and the Human Spirit*. Houghton Mifflin, New York.
- Gorshkov V.G. (1979) On the role of the terrestrial and marine biota in the global carbon budget. *Preprint 534*. Leningrad Nuclear Physics Inst., Leningrad.
- Gorshkov V.G. (1980) Structure of biospheric energy flows. *Botanical J.*, **65**, 1579–1590 (in Russian).
- Gorshkov V.G. (1981) The distribution of energy flows among the organisms of different dimensions. *J. General Biology*, **42**, 417–429 (in Russian).

- Gorshkov V.G. (1982a) Energetics of locomotive animals. *Ecologija*, **1**, 1–14 (in Russian).
- Gorshkov V.G. (1982b) *Energetics of the Biosphere*. Leningrad Polytechnical Inst., Leningrad (in Russian).
- Gorshkov V.G. (1982c) The possible global budget of carbon dioxide. *Nuovo Cimento*, **5C**, 209–222.
- Gorshkov V.G. (1983a) Power and rate of locomotion in animals of different sizes. *J. General Biology*, **44**, 661–678 (in Russian).
- Gorshkov V.G. (1983b) The influence of the oceanic biota on atmospheric carbon dioxide. *Preprint 831*. Leningrad Nuclear Physics Inst., Leningrad.
- Gorshkov V.G. (1984a) Energetical efficiency of flight and swimming. *J. General Biology*, **45**, 779–794 (in Russian).
- Gorshkov V.G. (1984b) Possible role of the oceanic biota in the global carbon balance. *Oceanologija*, **24**, 453–459 (in Russian).
- Gorshkov V.G. (1985a) Natural selection of communities and the stability of biogeochemical cycles. In: Mlikovsky J. and Novak V.J.A. (Eds.) *Evolution and Morphogenesis*. Academia, Prague, 787–797.
- Gorshkov V.G. (1985b) Stability of the biogeochemical matter cycle. *Ecologija*, **2**, 3–12 (in Russian).
- Gorshkov V.G. (1995) *Physical and Biological Bases of Life Stability: Man, Biota, Environment*. Springer, Berlin.
- Gorshkov V.G. and Dolnik V.R. (1980) Energetics of the biosphere. *Uspekhi Fizicheskikh Nauk*, **131**, 441–478. English transl.: *Sov. Phys. Usp.*, **23**, 386, American Institute of Physics.
- Gorshkov V.G. and Makarieva A.M. (1997) Heterozygosity dependence on body mass in mammals. *Doklady (Proceedings) of the Russian Academy of Sciences*, **355**, 418–421 (in Russian).
- Gorshkov V.G. and Makarieva A.M. (1998). Impact of terrestrial and oceanic biota on the modern carbon and oxygen cycles. *Ecological Chemistry*, **7**, 129–137.
- Gorshkov V.G. and Makarieva A.M. (1999) Haldane's rule and somatic mutations. *Russian Journal of Genetics*, **35**, 611–617. (Translated from *Genetika*, **35**, 1999, 725–732)
- Gorshkov V.V. (1993) Characteristics of forest ecosystem recovery after fires. *Doklady (Proceedings) of the Russian Academy of Sciences*, **333**, 111–114 (in Russian).
- Gorshkov V.V. (1994) Change in species diversity of ground lichens under impact of pollution with respect to the postfire age of the forest community. *Doklady (Proceedings) of the Russian Academy of Sciences*, **334**, 665–668 (in Russian).
- Gorshkov V.V. (1998) Boreal forest community: its internal environment, recovery after disturbances and stationary state. In: Gorshkov V.G., Makarieva A.M., Kharkina T. (Eds.) *Proc. Int. Sem. Role of virgin terrestrial biota in the modern processes of global change: Biotic regulation of the environment*. 12–16 October 1998, Petrozavodsk, Russia. PNPI, Gatchina, 138–197.

- Gorshkov V.V. and Bakkal I.Yu. (1996) Species richness and structure variations of Scots pine forest communities during the period from 5 to 210 years after fire. *Silva Fennica*, **30**, 329–340.
- Gorshkov V.V. and Gorshkov V.G. (1992) Recovery characteristics for ecosystems. Preprint 1850. Petersburg Nuclear Physics Inst., St. Petersburg.
- Gorshkov V.V., Bakkal I.Yu. and Stavrova N.I. (1996) Postfire recovery of forest litter in Scots pine forests in two different regions of boreal zone. *Silva Fennica*, **30**, 209–219.
- Gorshkov V.V., Bakkal I.Yu. and Stavrova N.I. (1997) An estimate of possible impact of global warming on relaxation of characteristics in northern forest communities. *Doklady (Proceedings) of the Russian Academy of Sciences*, **355**, 414–417 (in Russian).
- Goryshina T.K. (1979) *Plant Ecology*. Vysshaja shkola, Moscow (in Russian).
- Gould S.J. and Eldridge N. (1993) Punctuated equilibrium comes of age. *Nature*, **366**, 223–227.
- Govindjee O. (Ed.) (1982) *Photosynthesis*. Academic Press, New York.
- Grant V. (1977) *Organismic Evolution*. Freeman Co, San Francisco.
- Green N.P.O., Stout G.W., Taylor D.J. and Soper R. (1989) *Biological Science*. CUP, Cambridge.
- Gromtsev A.N. (1993) Fire regime in spontaneous forests in the landscapes of NW taiga. *EcoLOGIJA*, **3**, 22–26 (in Russian).
- Grosjean H., Cedergren R.J. and McKay W. (1982) Structure in tRNA data. *Biochimie*, **64**, 387–397.
- Gustavson M.R. (1979) Limits to wind power utilization. *Science*, **204**, 13–17.
- Haldane J.B.S. (1922) Sex ratio and unisexual sterility in hybrid animals. *J. Genet.*, **12**, 101–109.
- Haldane J.B.S. (1954) The stasis of evolution. In: Huxley J., Hardy A.C., Ford E.B. (Eds.) *Evolution as a Process*. George Allen and Unwin Ltd., London, 109–121.
- Haldane J.B.S. (1957) The cost of natural selection. *J. Genet.*, **55**, 511–524.
- Hamilton W.D., Axelrod R. and Tanese R. (1990) Sexual reproduction as an adaptation to resist parasites: a review. *Proc. Natl. Acad. Sci. USA*, **87**, 3566–3573.
- Hansen J.E. and Lacis A.A. (1990) Sun and dust versus greenhouse gases: an assessment of their relative roles in global climate change. *Nature*, **346**, 713–719.
- Hardy Y., Mainville M. and Schmitt D.M. (1986) *An atlas of spruce budworm defoliation in Eastern North America, 1938–1980*. United States Dept. of Agriculture, Forest Service, Miscellaneous publication.
- Harestad A.S. and Bunnell F.L. (1979) Home range and body weight – a reevaluation. *Ecology*, **60**, 389–402.
- Haworth D.L. and Rose F. (1970) Qualitative scale for estimation for sulphur dioxide air pollution in England and Wales using epiphytic lichens. *Nature*, **524**, 145–148.
- Hayes J.M. (1996) The earliest memories of life on Earth. *Nature*, **384**, 21–22.
- Hays G.C., Harris R.P., Head R.N. (1997) The vertical nitrogen flux caused by zooplankton diel vertical migration. *Mar. Ecol. Prog. Ser.*, **160**, 57–62.
- Heglund N.C., Cavagna G.A., Fedak M.A. and Taylor C.R. (1979) Muscle efficiency during locomotion: how does it vary with body size and speed? (Museum of Comp. Zool. Harvard Univ. Cambridge) MA 02138 and Univ. of Milan (FASEB Abstract speed).
- Heimann M. and Maier-Reimer E. (1996) On the relations between the oceanic uptake of carbon dioxide and its carbon isotopes. *Global Biogeochemical Cycles*, **10**, 89–110.
- Heinselman M.L. (1981) Fire intensity and frequency as factors in the distribution and structure of northern ecosystems. In: *Fire Regimes and Ecosystem Properties*. Proceedings of the conference December 11–15, 1978, Honolulu, Hawaii. United States Department of Agriculture, Forest Service, General Technical Report WO-26, 7–57.
- Helli P. and Niemi G. (1996) Bird community dynamics in boreal forest. In: DeGraaf R.M. and Miller R.I. (Eds.) *Conservation of Faunal Diversity in Forested Landscapes*. Chapman and Hall, London.
- Hemmingsen A.M. (1960) Energy metabolism as related to body size and respiratory surfaces, its evolution. *Rept. Steno Mem. Hosp. Nord. Insulinlab.*, **9**, 7–110.
- Henderson-Sellers A. and Cogley J.G. (1982) The Earth's early hydrosphere. *Nature*, **298**, 832–833.
- Hesin R.V. (1984) *Nonconstancy of Genom*. Nauka, Moscow (in Russian).
- Hill A.V. (1960) Production and absorption of work by muscle. *Science*, **131**, 897.
- Hofker M.H., Scraastad M.I., Bergen A.A.B., Wapenaar M.C., Bakker E., Millington-Ward A., van Ommen G.J.B. and Pearson P.L. (1986) The X chromosome shows less genetic variation at restriction sites than the autosomes. *Am. J. Hum. Genet.*, **39**, 438–451.
- Holing K. (Ed.) (1978) *Adaptive Environmental*. John Wiley & Sons, Chichester.
- Holland J., Spindler K., Horodyski F., Grabau E., Nichol S. and VandePol S. (1982) Rapid evolution of RNA genomes. *Science*, **215**, 1577–1585.
- Holligan P.M. and de Boois H. (Eds.) (1993) *Land-Ocean Interactions in the Coastal Zone*. Global Change, IGBP report No.25, Stockholm.
- Houghton R.A. (1989) The long-term flux of carbon to the atmosphere from changes in land use. *Extended Abstracts of Papers Presented at the Third Internat. Conf. on Analysis and Evolution of Atmospheric CO<sub>2</sub>*. Data. W.M.O. Univ. Heidelberg, 80–85.
- Houghton R.A., Hobbie J.E., Melillo J.M. et al. (1983) Changes in the content of terrestrial biota and soils between 1860 and 1980: a net release of CO<sub>2</sub> to the atmosphere. *Ecological Monographs*, **53**, 235–262.
- Hubbert M.K. (1971) The energy resources of the Earth. *Sci. Am.*, **225**, 61–70.
- Hutchinson G.E. and MacArthur R.H. (1959) A theoretical ecological model of size distributions among species of animals. *Am. Nat.*, **43**, 117–125.
- IPCC (1994) *Climate Change 1994: Radiative Forcing of Climate Change and an Evaluation of the IPCC IS92 Emission Scenarios*. Houghton J.T., Meira-Filho

- L.G., Bruce J. Lee Hoesung, Callander B.A., Haites E., Harris N. and Maskell K. (Eds.). CUP, Cambridge.
- IPCC (1996) *Climate Change 1995: The Science of Climate Change*. Houghton J.T., Meira-Filho L.G., Callander B.A., Harris N., Kattenberg A. and Maskell K. (Eds.). CUP, Cambridge.
- Isayev A.S. and Petrenko E.S. (1968) Biogeocenotic peculiarities of tree pests quantity dynamics. *Forest Science (Lesovedenie)*, **3**, 1–12 (in Russian).
- Isayev A.S. and Utkin A.I. (1963) Ground fires in larch forests in East Siberia and tree pests significance in postfire stand state. In: *Protection of Siberian Forests against Insect Pests*. AN SSSR, Moscow (in Russian).
- Isayev A.S., Khlebopros R.G., Nedoresov L.V., Kondakov Ju.P. and Kiselev V.V. (1984) *Population Dynamics of the Forest Insects*. SO Nauka, Novosibirsk (in Russian).
- Ivanoff A. (1972), (1975) *Introduction a L'Océanographie*. vols 1, 2. Librairie Vuibert, Paris.
- Ivanter E.V. (1975) *Population Ecology of Small Mammals in Taiga Zone in the North-West of USSR*. Nauka LO, Leningrad (in Russian).
- Ivashkevich B.A. (1929) Virgin forest, its structure and development peculiarities. *Forest Husbandry and Forest Industry (Lesnoe khozjajstvo i lesnaja promishlennost)*, **10**, 36–44; **11**, 40–47, **12**, 41–46 (in Russian).
- Jackson I.J. (1971) Problems of throughfall and interception under tropical forests. *J. Hydrology*, **12**, 234–254.
- Jackson J.B.C. (1990) Evolutionary significance of morphospecies: a test with cheilostome Bryozoa. *Science*, **248**, 579–583.
- Jackson J.B.C. (1994) Constancy and change of life in the sea. *Phil. Trans. R. Soc. Lond. B*, **344**, 55–60.
- Jakubiczka S., Arnemann J., Cooke H.J., Krawczak M. and Schmidtke J. (1989) A search for restriction fragment length polymorphism on the human Y chromosome. *Hum. Genet.*, **84**, 86–88.
- Jarvis P.G. (Ed.) (1989) *Forests, Weather and Climate*. A discussion organized by Jarvis P.G. et al., London.
- Jemisson G.H. (1934) The significance of the effect of stand density upon the weather beneath the canopy. *Journal of Forestry*, **32**, 416–446.
- Johnson E.A. (1979) Fire recurrence in the Subarctic and its implications for vegetation composition. *Canadian Journal of Botany*, **57**, 1374–1379.
- Johnson E.A. (1996) *Fire and Vegetation Dynamics. Studies from North American Boreal Forests*. CUP, Cambridge.
- Johnston D.W. and Odum E.P. (1956) Breeding bird population in relation to plant succession on the piedmont of Georgia. *Ecology*, **37**, 50–62.
- Jones D. (1990) Time twisters. *Nature*, **347**, 130.
- Jordan R.A. and Brosemer R.W. (1974) Characterization of DNA from three bee species. *J. Insect. Physiol.*, **20**, 2513–2520.
- Jukes T.H. (1987) Transversions and molecular evolutionary clock. *J. Mol. Evol.*, **26**, 87–98.
- Kamenir Yu.G. (1991) Comparison of size spectra of living matter of three aquatic ecosystems. *Synt. Anal. Model. Stimul.*, **8**, 72–75.
- Kamenir Yu.G. and Khailov K.M. (1987) The metabolism parameters and the world oceanic living matter integral spectra: comparison of size spectra. *Okeanologija*, **27**, 656–661 (in Russian).
- Kanwisher J.W. and Ridgway S.H. (1983). The physiological ecology of whales and porpoises. *Sci. Am.*, **248**, 110–121.
- Karpov V.G. (1969) *Experimental Phytocenology of Dark-coniferous Taiga*. Nauka LO, Leningrad (in Russian).
- Kasting J.F. (1987) Theoretical constraints on oxygen and carbon dioxide concentrations in the Precambrian atmosphere. *Precambrian Research*, **34**, 205–229.
- Kasting J.F., Toon O.B. and Pollack J.B. (1988). How climate evolved on the terrestrial planets. *Sci. Amer.*, **258**, 90–97.
- Keeling C.D. (1973) The carbon dioxide cycle. In: Rasool S. (Ed.) *Chemistry of the Lower Atmosphere*. Plenum Press, New York, 251–329.
- Keeling R.F. and Shertz R. (1992) Seasonal and interannual variations in atmospheric oxygen and implications for the global carbon cycle. *Nature*, **358**, 723–726.
- Keeling, R.F., Piper, S.C. and Heimann M. (1996) Global and hemispheric CO<sub>2</sub>-sinks deduced from changes in atmospheric O<sub>2</sub> concentration, *Nature*, **381**, 218–221.
- Kellman M. and Ruolot N. (1990) Nutrient flux and retention in a tropical sand-dune succession. *Journal of Ecology*, **78**, 664–676.
- Kellogg E.A. and Appels R. (1995) Intraspecific and interspecific variation in 5S RNA genes are decoupled in diploid wheat relatives. *Genetics*, **140**, 325–343.
- Kellogg W.W. and Schneider S.H. (1974) Climate stabilisation, for better or for worse? *Science*, **186**, 1163–1172.
- Kendeigh S.C. (1974) *Ecology with Special References to Animals and Man*. Prentice-Hall, New York.
- Kershaw K.A. (1975) Studies of lichen-dominated systems. XV. The temperature and humidity profiles in a Cladina alpestris mat. *Canadian Journal of Botany*, **53**, 2614–2620.
- Kerzina M.N. (1956) The influence of clear-cutting and burned-out forests on forest fauna formation. In: *Role of Animals in the Forest Life*. AN SSSR, Moscow (in Russian).
- Kettlewell H.B.D. (1973) *The Evolution of Melanism*. Clarendon Press, Oxford.
- Khailov K.M. (1971) *Ecological Metabolism in the Sea*. Naukova Dumka, Kiev (in Russian).
- Kimura M. (1968) Evolutionary rate at the molecular level. *Nature*, **217**, 624–625.
- Kimura M. (1983) *The Neutral Theory of Molecular Evolution*. CUP, Cambridge.
- Kimura M. (1987) Molecular evolutionary clock and neutral theory. *J. Mol. Evol.*, **26**, 24–33.
- Kimura M. (1989) The neutral theory of molecular evolution and the world view of neutralists. *Genome*, **31**, 24–31.

- King T. (1974) Seasonal allocation of time and energy resources in birds. In: Paynter R.A. (Ed.) *Avian Energetics*. Nuttall Ornithological Club (Publ. No. 15), Boston, 4–28.
- Kittridge D. (1951) *The Influence of Forest on Climate, Soil and Water Regime*. Foreign Literature (Inostrannaja literatura), Moscow (Russian edition).
- Kleiber M. (1961) *The Fire of Life*. Wiley, New York.
- Knowlton N., Weigt L.A., Solerzano L.A., Mills D.K. and Bermingham E. (1993) Divergence in proteins, mitochondrial DNA, and reproductive compatibility across the Isthmus of Panama. *Science*, **260**, 1629–1632.
- Kohlmaier G.H., Brohl H., Size E.O., Plochl M. and Ravelle R. (1987) Modelling stimulation of plants and ecosystem response to present levels of excess atmospheric CO<sub>2</sub>. *Tellus*, **39B**, 155–170.
- Kolomiets N.G. (1961) Cold-resistance of Siberian silkworm caterpillars and temperature regime in their hibernation habitat. *Izvestija SO AN SSSR*, **1**, 113–120 (in Russian).
- Kondakov Yu.P. (1974) Regularities of massive outbreaks of the Siberian silkworm. In: *Population ecology of forest animals*. Nauka SO, Novosibirsk (in Russian), 206–265.
- Kondrashov A.S. (1982) Selection against harmful mutations in large sexual and asexual populations. *Genet. Res.*, **40**, 325–332.
- Kondrashov A.S. (1988) Deleterious mutations and the evolution of sexual reproduction. *Nature*, **336**, 435–440.
- Kondratyev K.Ya. (1999) *Climatic Effects of Aerosols and Clouds*. Praxis Publishing Ltd., Chichester, UK.
- Kordum V.A. (1982) *Evolution and Biosphere*. Naukova Dumka, Kiev (in Russian).
- Korovin G.N. (1996) Analysis of the distribution of forest fires in Russia. In: Goldammer J.G. and Furyaev V.V. (Eds.) *Fire in Ecosystem of Boreal Eurasia*. Kluwer, 112–128.
- Kovda V.A. and Rozanov B.G. (1988) *Soil Science*. Vysshaja shkola, Moscow (in Russian).
- Krylov P.N. (1919) *Brief Description of Siberian vegetation*. Tomsk (in Russian).
- Kurbatsky N.P. (1964) The problem of forest fires. In: *Appearance of Forest Fires*. Nauka, Moscow (in Russian).
- Kurkinen Yu.P. (1983) Change of environment, distribution character and quantity of herbivorous mammals in relation to industrial forestry. In: *Fauna and Ecology of Birds and Mammals of the North-West of the USSR*. Karelian filial AN SSSR, Petrozavodsk (in Russian).
- Kuznetsov N.I. (1915) *Brief description of vegetation in Narymsk area of Tomsk region. Materials of the soil-botanical expedition on colonisation regions of the Asian Russia. Part II. Botanical research of the 1911*. St.-Petersburg (in Russian).
- la Riviere J.W.M. and Marton-Lefevre J. (1992) United Nation conference on environment and development and global change science. *Global Change Newsletter*, **11**, 1–3.
- Landau L.D., Akhiezer A.I., Lifshitz E.M. (1965) *General Physics. Mechanics and Molecular Physics*. Nauka, Moscow (in Russian).
- Langman V.A., Roberts T.J., Black J., Maloiy G.M.O., Heglund N.C., Weber J.-M., Kram R. and Taylor C.R. (1995) Moving cheaply: Energetics of walking in the African elephant. *J. Exp. Biol.*, **198**, 629–632.
- Larcher, W. (1980) *Ökologie der Pflanzen*. UTB Ulmer, Stuttgart.
- Larson A. (1984) Neontological inferences of evolutionary pattern and process in the salamander family Plethodontidae. *Evol. Biol.*, **17**, 119–217.
- Laurie C.C. (1997) The weaker sex is heterogametic: 75 years of Haldane's rule. *Genetics*, **147**, 937–951.
- Lavrenko E.M. and Sochava V.B. (Eds.) (1956) *Vegetation Cover of USSR*. Explanatory text to 'Geobotanical map of USSR' (1 : 4 000 000). AN SSSR, Moscow-Leningrad (in Russian).
- Lebedev V.L., Aizatullin T.A. and Khailov K.M. (1974) *Ocean as a Dynamic System*. Gidrometeoizdat, Leningrad (in Russian).
- Leontieff W. (1977) *The Future of World Economy*. OUP, Oxford.
- Leuenberger M., Siegenthaler U. and Langway C.C. (1992) Carbon isotope composition of atmospheric CO<sub>2</sub> during the last ice age from Antarctic ice core. *Nature*, **357**, 488–490.
- Levitus S. (1982) *Climatological Atlas of the World Ocean*. NOAA Professional Paper, **13**, Geophysical Fluid Dynamics Lab., Princeton, New Jersey.
- Lewin B. (1987) *Genes*. Wiley, New York.
- Lewis M.P., Harrison W.G., Oakey N.S., Hebert D. and Platt T. (1986) Vertical nitrate fluxes in the oligotrophic ocean. *Science*, **234**, 870–873.
- Li Z.-X., Le Treut H. and Ghil M. (1997) Atmospheric radiative equilibria in a simple column model. *Climate Dynamics*, **13**, 429–440.
- Likens G.E., Bormann F.H., Pierce R.S. and Reiners W.A. (1978) Recovery of a deforested ecosystem. *Science*, **199**, 492–496.
- Linnaeus, K. (1789–96) *Systema naturae*. V. 1–3, 13 ed. Lugdini.
- Liski J. and Westman C. J. (1995) Density of organic carbon in soil at coniferous forest sites in southern Finland. *Biogeochemistry*, **29**, 183–197.
- Listov A.A. (1986) *Scots Pine Forests of Lichen Site Type*. Agropromizdat, Moscow (in Russian).
- Loeb L.A. and Kunkel T.A. (1982) Fidelity of DNA synthesis. *Ann. Rev. Biochem.*, **52**, 429–447.
- Loftus G.R. and Bell S.M. (1975) Two types of information in picture memory. *J. Exp. Psychol. [Human Learning and Memory]*, **104**, 103–113.
- Lorius C. and Oeschger H. (1994) Paleo-perspectives: reducing uncertainties in global change? *Ambio*, **3**, 30–36.
- Lorius C., Jouzel J., Raynaud D., Hansen J. and Le Treut H. (1990) The ice-core record: climate sensitivity and future greenhouse warming. *Nature*, **347**, 139–145.
- Lotka A.J. (1925) *Elements of Physical Biology*. Williams Wilkins Co., Baltimore.
- Loudon A.S.I. (1985) Lactation and neonatal survival of mammals. *Symp. Zool. Soc. Lond.*, **54**, 183–207.

- Lovelock J.E. (1988) *The Ages of Gaia, a Biography of Our Living Earth*. Bantam Books: New York.
- Ludwig W., Amiotte-Suchet P. and Probst J.-L. (1996) River discharges of carbon to the world's oceans: determining local inputs of alkalinity and of dissolved and particulate organic carbon. *C. R. Acad. Sci. Paris*, **323**, série IIa, 1007–1014.
- Lurin B., Rasool S.I., Cramer W., Moore B. III. (1994) Global terrestrial primary productivity. *Global Change Newsletter*, **19**, pp. 6–8.
- Lvovitch M.I. (1974) *World Water Resources and their Future*. Mysl, Moscow (in Russian).
- Maak R.K. (1859) *Travel Along the Ussury River*. Tom 2. St.-Petersburg (in Russian).
- MacFadden B.J. (1993) *Fossil Horses. Systematics, Paleobiology, and Evolution of the Family Equidae*. CUP, Cambridge.
- MacFadden B.J. and Hubbert R.C. Jr. (1988) Explosive speciation at the base of the adaptive radiation of Miocene grazing horses. *Nature*, **336**, 466–468.
- Maksimowski L.F. (1988) On the role of non-transcribed chromatin in the cellular processes of morphogenesis. *Ontogenes*, **19**, 461–467 (in Russian).
- Malaspina P., Persichetti F., Noveletto A., Iodice C., Terrenato L., Wolfe J., Ferraro M. and Prantera G. (1990) The human Y chromosome shows a low level of DNA polymorphism. *Ann. Hum. Genet.*, **54**, 297–305.
- Margulis L. (1975) Symbiosis in cell evolution life and its environment on the yearly Earth. In: Jennings D.H. and Lee D.L. (Eds.) *Symbiosis*. CUP, Cambridge, 21–38.
- Mariensfeld J.R., Unseld M., Brandt P. and Brennicke A. (1997) Viral nucleic acid transfer between fungi and plants. *Trends in Genetics*, **13**, 260–261.
- Martin J.H. and Fitzwater S.E. (1992) Dissolved organic carbon in Atlantic, Southern and Pacific oceans. *Nature*, **256**, 699–700.
- Martin J.H., Gordon R.M. and Fitzwater S.E. (1990) Iron in Antarctic waters. *Nature*, **345**, 156–158.
- Martin J.P. and Fridovich I. (1981) Evidence for a natural gene transfer from the ponyfish to its bioluminescent bacterial symbiont *Photobacter beioguanthi*. *J. Biol. Chem.*, **256**, 6080–6089.
- Martin W., Brinkmann H., Savonna C. and Cerff R. (1993) Evidence for a chimeric nature of nuclear genomes: Eubacterial origin of eukaryotic glyceraldehyde-3-phosphate dehydrogenase genes. *Proc. Natl. Acad. Sci. USA*, **90**, 8692–8696.
- Maslov A.D., Vedernikov N.M. and Andreyeva G.I. (1988) *Forest Protection from Pests and Illnesses: Reference Book*. Agropromizdat, Moscow (in Russian).
- May R.M. (1990) How many species? *Phyl. Trans. Roy. Soc. London*, **330B**, 293–304.
- Maynard Smith J. (1964) Group selection and kin selection. *Nature*, **201**, 1145–1147.
- Maynard Smith J. (1978) *The Evolution of Sex*. CUP, Cambridge.
- Mayr E. (1963) *Animal Species and Evolution*. Harvard Univ., Cambridge, MA.
- McFarland D. (1985) *Animal Behaviour: Phychobiology, Ethology and Evolution*. Pitmann Publishing Ltd., London.
- McNab B.K. (1983) Energetics, body size, and the limits to endothermy. *J. Zool. (Lond.)*, **199**, 1–29.
- Meadows D.H., Meadows D.L. and Randers J. (1992) *Beyond the Limits*. Chelsea Green Publ. Co, Post Milles, VT.
- Meadows D.H., Meadows D.L., Randers J. and Behrens W.W. III (1972) *The Limits to Growth*. Potomac, New York.
- Meadows D.L., Behrens W.W. III, Meadows D.H., Naill R.F., Randers J. and Zahn E.K.O. (1974) *Dynamics of Growth in a Finite World*. Wright Allen Press, New York.
- Melekhov I.S. (1971) On regularities and periodicity of forest fires. In: *Miscellaneous Papers on Forest Husbandry and Forest Chemistry*. Severo-Zapadnoe knizhnoe izdatelstvo, Arkhangelsk (in Russian).
- Melillo J.M., Prentice I.C., Farquhar G.D., Schulze E.-D. and O.E. Sala (1996) Terrestrial biotic responses to environmental change and feedbacks to climate. In: Houghton J.T., Meira Filho L.G., Callander B.A., Harris N., Kattenberg A., Maskell K. (eds.) *Climate Change 1995. The Science of Climate Change*. CUP, Cambridge, 445–516.
- Merola M. (1994) A reassessment of homozygosity and the case for inbreeding depression in the cheetah, *acinonix jubatus*: implications for conservation. *Conserv. Biol.*, **8**, 961–971.
- Mesarovic M. and Pestel E. (1974) *Mankind at the Turning Point*. Dutton, New York.
- Michod R.E. and Lewin B.R. (1988) *The Evolution of Sex: An Examination of Current Ideas*. Sinauer, Sunderland.
- Middendorf A.F. (1867) *Travel to the North-East of Siberia*. Part 1. North and East of the Siberia from natural and historical point of view. Chapter 4. Siberian vegetation. St-Petersburg (in Russian).
- Miller D.H. (1976) *Water at the Surface of the Earth – An Introduction to Ecosystem Hydrodynamic*. Academic Press, New York.
- Mitchell J. (1989) The 'greenhouse' effect and climate change. *Rev. Geophys.*, **27**, 115–139.
- Molchanov A.A. (1960) *Hydrological Role of Forest*. AN SSSR, Moscow (in Russian).
- Molchanov A.A. (1961) *Forest and Climate*. AN SSSR, Moscow (in Russian).
- Molchanov A.A. (1971) *Productivity of Organic Phytomass in Forests of Different Geographical Zones*. Nauka, Moscow (in Russian).
- Molchanov A.A. and Preobrazhensky I.F. (1957). *Forests and Forest Management in Arkhangelsk Region*. AN SSSR, Moscow (in Russian).
- Mopper K. and Degens E.T. (1979) Organic carbon in the ocean: nature and cycling. In: Bolin B., Degens E.T., Kempe S. and Ketner P. (Eds.) *The Global Carbon Cycle*. Wiley, New York, 293–316.
- Morin H., Laprise D. and Bergeron Y. (1993) Chronology of spruce budworms outbreak in the Lac Duparquet region, Abitibi, Québec. *Canadian Journal of Forest Research* **23**, 1497–1506.
- Morneau C. and Payette S. (1989) Postfire lichen—spruce woodland recovery at the limit of the boreal forest in northern Québec. *Canadian Journal of Botany*, **67**, 2770–2782.

- Moses Ph.B. and Chua N.-H. (1988) Light switches for plant genes. *Sci. Am.*, **258**, 64.
- Mozolevskaja E.G., Lebedeva G.S. and Galasyeva T.V. (1979) Estimation and dynamics of secondary insect quantity in clear-cutting forests. *Forest Science (Lesovedenie)*, **2**, 91–98 (in Russian).
- Nakagoshi N., Nehira K. and Takahashi F. (1987) The role of fire in pine forests of Japan. In: *The Role of Fire in Ecological Systems*. SPB Academic Publishing, The Hague.
- Nei M. (1975) *Molecular Population Genetics and Evolution*. North-Holland, Amsterdam.
- Nei M. (1984) Genetic polymorphism and neomutationism. *Lecture Notes in Biomathematics*, **53**, 214–241.
- Nei M. and Graur D. (1984) Extent of protein polymorphism and the neutral mutation theory. *Evol. Biol.*, **17**, 73–118.
- Neshyba S. (1987) *Oceanography Perspectives on a Fluid Earth*. John Wiley, New York.
- Nevo E., Beiles A. and Ben-Shlomo R. (1984) The evolutionary significance of genetic diversity: ecological, demographic and life history correlates. *Lecture Notes in Biomathematics*, **53**, 13–213.
- Newbold G. (1990) The path of drug resistance. *Nature*, **345**, 202–203.
- Newkirk G. (1980) Solar variability of time scales of  $10^5$  years to  $10^{9.6}$  years. In: Pepin R.O. and Eddy J.A. (Eds.) *Proc. Conf. Ancient Sun USA*, 293–320.
- Nicolis J.S. (1986) *Dynamics of Hierarchical Systems: An Evolutionary Approach*. Springer-Verlag, Berlin.
- Nikolayev D.S. (1932) *Forest Fires in the Ural Region and Fire-fighting*. Uraltekhnodat, Sverdlovsk (in Russian).
- Nikonov V.V. (1987) *Soil Formation on the North Limit of Scots Pine Biogeocenoses*. Nauka, Leningrad (in Russian).
- Ninio J. (1998) Acquisition of shape information in working memory, as a function of viewing time and number of consecutive images: evidence for a succession of discrete storage classes. *Brain. Res. Cogn. Brain. Res.*, **7**, 57–69.
- North G.H., Cahalan R.F., Cookley J.A. (1981) Energy balance climate models. *Rev. Geophys. and Space Phys.*, **19**, 91–121.
- O'Brien S.J. (1994) A role for molecular genetics in biological conservation. *Proc. Natl. Acad. Sci. USA*, **91**, 5748–5755.
- O'Brien S.J., Gail M.H. and Levin D.L. (1980) Correlative genetic variation in natural populations of cats, mice and men. *Nature*, **288**, 580–583.
- Ochman H. and Wilson A.C. (1987) Evolution in bacteria: evidence for a universal substitution rate in cellular genomes. *J. Mol. Evol.*, **26**, 74–86.
- Odum E.P. (1971). *Fundamentals of Ecology*. 3rd Ed. W.B. Saunders, Philadelphia.
- Odum E.P. (1983) *Basic Ecology*. Saunders College Pub., New York.
- Oeschger H. and Stauffer B. (1986) Review of the history of atmospheric CO<sub>2</sub> recorded in ice cores. In: Trabalka J.R. and Reichele D.F. (Eds.) *The Changing of the Carbon Cycle: A Global Analysis*. Springer-Verlag, Berlin.
- Ogawa H. and Ogura N. (1992) Comparison of two methods for measuring dissolved organic carbon in sea water. *Nature*, **256**, 696–698.
- Ohta T. (1987) Very slightly deleterious mutations and the molecular clock. *J. Mol. Evol.*, **26**, 1–6.
- Olson J.S. (1958) Rates of succession and soil changes on southern lake Michigan sand dunes. *Botanical Gazette*, **119**, 125–170.
- Orgel L.E. (1992) Molecular replication. *Nature*, **358**, 203–209.
- Orlov V.N. and Bulatova N.Sh. (1983) *Comparative Cytogenetics and Caryosystems of Mammals*. Moscow, Nauka.
- Orr H.A. (1995) Somatic mutation favors the evolution of diploidy. *Genetics*, **139**, 1441–1447.
- Palmen E. and Newton C.W. (1969) *Atmospheric Circulation Systems*. Academic, New York.
- Panteleyev P.A. (1983) *Bioenergetics of Small Mammals*. Nauka, Moscow (in Russian).
- Parker G.A. and Maynard Smith J. (1990) Optimality theory in evolutionary biology. *Nature*, **348**, 27–33.
- Partridge L. and Harvey P. (1986) Contentious issues in sexual selection. *Nature*, **323**, 580–581.
- Paulyukyavichus G.B. (1989) *The Role of Forest in Ecological Landscape Stabilization*. Nauka, Moscow (in Russian).
- Paune R.B. and Westneat D.F. (1988) A genetic and behavioural analysis of mate choice and song neighborhoods in indigo buntings. *Evolution*, **42**, 935–947.
- Payevski V.A. (1985) *Bird Demography*. Leningrad, Nauka (in Russian).
- Peixoto J.P. and Oort A.H. (1984) Physics of climate. *Rev. Modern Phys.*, **56**, 365–378.
- Penafiel S.R. and Terrado C.B. (1977) The 1970–1973 forest fires in the Upper Agno River Basin: a preliminary analysis. *Sylvatrop*, **2**, 59–63.
- Peng T.-H. and Broecker W.S. (1991) Dynamic limitations on the Antarctic iron fertilisation strategy. *Nature*, **349**, 227–229.
- Peng T.-H., Takahashi T., Broecker W.S. and Olafsson J. (1987) Seasonal variability of carbon dioxide, nutrients and oxygen in the northern North Atlantic surface water: observations and a model. *Tellus*, **39B**, 439–458.
- Peters R.H. (1983) *The Ecological Implications of Body Size*. CUP, Cambridge.
- Pierce B.A. and Mitton J.B. (1980) The relationship between genome size and genetic variation. *Am. Nat.*, **116**, 850–861.
- Platt T. and Rao D.V.S. (1975) Primary production of marine microphytes. In: Cooper J.P. (Ed.) *Photosynthesis and Productivity in Different Environments*. CUP, Cambridge.
- Platt T., Harrison W.G., Lewis M.R. et al. (1989) Biological production of the oceans: the case for a consensus. *Mar. Ecol. Prog. Ser.*, **52**, 77–88.
- Pollack J.B. (1979). Climate change on terrestrial planets. *Icarus*, **37**, 479–553.
- Powell J.R. (1975) Protein variation in natural populations of animals. *Evol. Biol.*, **8**, 79–119.

- Prentice K.C. and Fung I.Y. (1990) The sensitivity of terrestrial carbon storage to climate change. *Nature*, **346**, 48–51.
- Prinn R.G. (1982) Origin and evolution of planetary atmospheres: an introduction to the problem. *Planet. Space Sci.*, **30**, 741–753.
- Prinn R.G. (1994) The interactive atmosphere: global atmospheric biospheric chemistry. *Ambio*, **23**, 50–61.
- Protopopov V.V. (1975) *The Role of Dark-coniferous Forest in the Environment Formation*. Nauka SO, Novosibirsk (in Russian).
- Quay P.D., Tilbrook B. and Wong C.S. (1992) Oceanic uptake of fossil fuel CO<sub>2</sub>: carbon-13 evidence. *Science*, **256**, 74–79.
- Quine C., Coutts M., Gardiner B. and Pyatt G. (1995) Forests and wind: management to minimize damage. *Forestry Commission Bulletin 114*. London.
- Rabotnov T.A. (1983) *Phytocenology*. Moscow State University, Moscow (in Russian).
- Radman M. and Wagner R. (1988) The high fidelity of DNA duplication. *Sci. Am.*, **259**, 40–46.
- Rakhmanov V.V. (1981) *Forest Hydrology*. 3. VINITI, Moscow (in Russian).
- Ramanathan V. (1987) The role of Earth radiation budget studies in climate and general circulation research. *J. Geophys. Res.*, **92D**, 4075–4087.
- Ramanathan V., Callis L., Cess R., Hansen J., Isaksen I., Kuhn W., Lacis A., Luther F., Mahlman J., Reck R., Schlesinger M. (1987) Climate-chemical interactions and effects of changing atmospheric trace gases. *Rev. Geophys.*, **25**: 1441–1482.
- Randi E., Tosi G., Toso G., Lorenzini R. and Fusco G. (1990) Genetic variability and conservation problems in Alpine ibex, domestic and feral goat populations (genus *Capra*). *Z. Säugetierkunde*, **55**, 413–420.
- Rasch E.M., Cassidy J.D. and King R.C. (1977) Evidence for dosage compensation in parthenogenetic *Hymenoptera*. *Chromosoma*, **59**, 323–340.
- Raup D.M. and Sepkoski J.J.Jr. (1982) Mass extinction in the marine fossil fuel record. *Science*, **215**, 1501–1503.
- Raval A. and Ramanathan V. (1989) Observational determination of the greenhouse effect. *Nature*, **342**, 758–761.
- Raven P.H. and Johnson G.B. (1988) *Understanding Biology*. Times Mirror, Mosby Coll. Pub., St. Louis.
- Raynaud D., Jouzel J., Barnola J.M., Chappellaz J., Delmas D.J. and Lorius C. (1993) The ice record of greenhouse gases. *Science*, **259**, 926–934.
- Redfield A. (1958) The biological control of chemical factors in the environment. *Amer. Nat.*, **46**, 205–221.
- Redfield A.C., Ketchum B.H. and Richards P.A. (1967) The influence of organisms on the composition of sea water. In: *The Sea*, vol. 2. Wiley, New York, 26–77.
- Reimers N.F. (1972) *Ecological Successions and Fur-bearing Animals*. TSNII Glavokhoty RSFSR, Moscow (in Russian).
- Repnevsky V.V. (1961) Sources of seeding in clear cutting areas. In: Melekhov I.S. (Ed.) *Forests of the Kola Peninsula and their Recovery*. AN SSSR, Moscow, 71–97 (in Russian).
- Rowe J.S. and Scotter G.W. (1973) Fire in the boreal forest. *Journal of Quaternary Research*, **3**, 444–464.
- Rozhkov A.S. and Massel G.I. (1982) *Resinous substances of conifers and xylophagous insects*. Nauka, Novosibirsk (in Russian).
- Ryapolov V.Ya. (1987) Landscape position of Siberian silkworm hotbeds. In: Vladishevsky D.V. and Petrenko E.S. (Eds.) *Ecological Estimation of Habitat Condition of Forest Animals*. Nauka, Novosibirsk, 76–89 (in Russian).
- Ryttman N., Tegelström H. and Jansson H. (1979) G- and C- banding in four related Larus species (Aves). *Hereditas*, **91**, 143–148.
- Sager R. (1972) *Cytoplasmic Genes and Organelles*. Academic, New York.
- Sannikov S.N. and Sannikova N.S. (1985) *Ecology of Scots Pine Self-regeneration under Forest Canopy*. Nauka, Moscow (in Russian).
- Sannikov S.N. (1992) *Ecology and Geography of Natural Regeneration of Scots Pine*. Nauka, Moscow (in Russian).
- Sarmiento J.L., Toggweiler J.R. and Najjar R. (1988) Ocean carbon-cycle dynamics and atmospheric pCO<sub>2</sub>. *Trans. R. Soc. London*, **A325**, 3–21.
- Savin S. (1977) The history of the Earth's surface temperature during the past 160 million years. *Ann. Rev. Earth Planetary Sci.*, **5**, 319–355.
- Schlesinger W.H. (1986) Changes in soil carbon storage and associated properties with disturbance and recovery. In: Trabalka J.R. and Reichle D.E. (Eds.) *The Changing Carbon Cycle. A Global Analysis*. Springer-Verlag, Berlin, 194–220.
- Schlesinger W.H. (1990) Evidence from chronosequence studies for a low carbon-storage potential of soils. *Nature*, **348**, 232–234.
- Schmidt-Nielsen K. (1972) *How Animals Work*. CUP, Cambridge.
- Schmidt-Nielsen K. (1984) *Scaling: Why is Animal Size so Important?* CUP, Cambridge.
- Schneider S.H. (1989) The greenhouse effect: science and policy. *Science*, **243**, 771–781.
- Scholes B. (1999) Will the terrestrial carbon sink saturate soon? *Global Change Newsletter*, **37**, 2–3.
- Schrödinger E. (1945) *What is Life? The Physical Aspect of the Living Cell*. Dublin Trinity College, Inst. for Advanced Studies, Dublin.
- Schwartzman D.W. and Volk T. (1989) Biotic enhancement of weathering and habitability of Earth. *Nature*, **340**, 457–460.
- Scientific and Applied Reference Book on the Climate of the USSR*. (1988–1990) Ser. 3. Many years' data. Parts 1–6. Gidrometeoizdat, Leningrad (in Russian).
- Selander R.K. and Johnson W.E. (1973) Genetic variation among vertebrate species. *Ann. Rev. Ecol. Syst.*, **4**, 75–91.
- Session S.K. and Larson A. (1987) Developmental correlates of genome size in plethodontid salamanders and their implications for genome evolution. *Evolution*, **41**, 1239–1251.
- Sheppard P.M. (1975). *Natural Selection and Heredity*. 4th Ed. Hutchinson University Library, London.

- Sher A.V. (1990) Actualism and disconformism in studies of ecology of pleistocene mammals. *J. General Biology*, **51**, 163–177 (in Russian).
- Shklovskii I.S. (1987) *Universe. Life. Mind.* Nauka, Moskow (in Russian).
- Shukla J. and Mintz Y. (1982) Influence of land-surface evapotranspiration on the Earth's climate. *Science*, **215**, 1498–1500.
- Shvidenko A., Nilsson S. and Roshkov V. (1997) Possibilities for increased carbon sequestration through the implementation of rational forest management in Russia. *Water, Air and Soil Pollution*, **94**, 137–162.
- Sieburth J.M. (1976) Bacterial substrates and productivity in marine ecosystems. *Ann. Rev. Ecol. Syst.*, **7**, 259–285.
- Siegenthaler U. and Oeschger H. (1987) Biospheric CO<sub>2</sub> emission during the past 200 years reconstructed by deconvolution of ice core data. *Tellus*, **39B**, 140–154.
- Siegenthaler U. and Sarmiento J. L. (1993) Atmospheric carbon dioxide and the ocean. *Nature*, **365**, 119–125.
- Simpson G.G. (1944) *Tempo and Mode in Evolution*. Columbia University Press, New York.
- Siren G. (1955) The development of spruce forest on raw humus sites in northern Finland and its ecology. *Acta Forestalia Fennica*, **62**, 1–363.
- Skinner B.J. (1986) *Earth Resources*. Prentice-Hall Inc., New Jersey.
- Skvortsova E.B., Ulanova N.G. and Basevich N.G. (1983) *Ecological Role of Wind Treefalls*. Lesnaja promishlennost, Moscow (in Russian).
- Soberón J.M. (1990) Deforestation and the greenhouse effect. *Trends in Ecology and Evolution*, **5**, 63–64.
- Southwood T.R.E., Brown W.K. and Reader M.E. (1978) The relationships of plant and insect diversities in succession. *Biological J. Linnean Society*, **12**, 327–348.
- Spurr S.H. and Barnes B.V. (1980) *Forest Ecology*. 3rd Ed. Wiley, New York.
- Staffelbach T., Stauffer B., Sigg A. and Oeschger H. (1991) CO<sub>2</sub> measurements from polar ice cores: more data from different sites. *Tellus*, **43B**, 91–96.
- Starke L. (Ed.) (1987). (1990) *The State of the World 1987, 1990. A Worldwatch Inst. Report on Progress toward a Sustainable Society*. Norton and Co, New York.
- Starr C. (1971) Energy and power. *Sci. Am.*, **225**, 37–49.
- Sugimura Y. and Suzuki Y. (1988) A high temperature catalytic oxidation method for determination of non-volatile dissolved organic carbon in seawater by direct injection of liquid samples. *Mar. Chem.*, **24**, 105–131.
- Suzuki J. (1993) On the measurement of DOC and DON in seawater. *Marine Chemistry*, **41**, 287–288.
- Syrjaenen K., Kalliola R., Puolasmaa A. and Mattsson J. (1994) Biodiversity in the fennoscandian forests: natural variation and its management. *Ann. Zool. Fenn.*, **31**, 19–34.
- Syvanen M. (1984) Conserved regions in mammalian  $\beta$ -globins: Could they arise by cross-species gene exchange? *J. Theor. Biol.*, **107**, 685–696.
- Syvanen M. (1987) Molecular clocks and evolutionary relationships: Possible distortions due to horizontal gene flow. *J. Mol. Evol.*, **26**, 16–23.
- Syvanen M. (1989) Classical plant taxonomic ambiguities extend to the molecular level. *J. Mol. Evol.*, **28**, 536–544.
- Szathmary E. and Maynard Smith J. (1995) The major evolutionary transitions. *Nature*, **374**, 227–232.
- Takahashi T., Broecker W.S. and Bainbridge A.E. (1981) Supplement to the alkalinity and total carbon dioxide concentration in the world oceans. In: Bolin B. (Ed.) *Carbon Cycle Modelling*, SCOPE, **16**, Wiley, Chichester, 159–199.
- Takahashi T., Broecker W.S. and Langer S. (1985) Redfield ratio based on chemical data from isopycnal surface. *J. Geophys. Res.*, **90**, 6907–6924.
- Tang B. and Weaver A.J. (1995) Climate stability as deduced from an idealized coupled atmosphere-ocean model. *Climate Dynamics*, **11**, 141–150.
- Tans P.P., Fung I.Y. and Takahashi T. (1990) Observational constraints on the global atmospheric CO<sub>2</sub> budget. *Science*, **247**, 1431–1438.
- Thomas C.D. (1990) Fewer species. *Nature*, **347**, 237.
- Thompson K., Bakker J. and Bakker R. (1996) *The Soil Seed Banks of North West Europe*. CUP, Cambridge.
- Thribus M. and McIrvine E.C. (1971) Energy and information. *Sci. Am.*, **224**, 179–188.
- Timmermans K.R., Gledhill M., Nolting R.F., Veldhuis M.J.W., de Baar H.J.W. and van den Berg C.M.G. (1998) Responses of marine phytoplankton in iron enrichment experiments in the Northern North Sea and northeast Atlantic Ocean. *Marine Chemistry*, **61**, 229–242.
- Tinbergen J., Dolman A. and von Ettinger J. (Eds.) (1977) *Reshaping the International Order. A report to the Club of Rome*. Times Mirror, New York.
- Tinbergen N. (1953) *The Herring Gull's World*. Collins, London.
- Tinbergen N. (1968) On war and peace in animal and man. *Science*, **160**, 1411–1418.
- Tkachenko M.E. (1911) Forests of North. In: *Forestry Investigations in the Arkhangelsk region. Part 1. Studies of Experimental Forestry in Russia*. Vipusk 25, St.-Petersburg, pp. 1–91 (in Russian).
- Toggweiler J.R. (1990) Diving into the organic soup. *Nature*, **345**, 203–204.
- Tolonen M. (1978) Palaeoecology of annually laminated sediments in Lake Ahvenainen, S. Finland. I. Pollen and charcoal analyses and their relation to human impact. *Annales Botanici Fennici*, **15**, 177–208.
- Townshend J.R.G. (Ed.) (1992) Improved global data for land application: A proposal for new high resolution data set. *Report of Land Cover Working Group of IGBP – DIS*. Global Change. Rep. 20, Stockholm.
- Townshend J.R.G., Justice C.O., Li W., Gurney C. and McManus J. (1991) Global land cover classification by remote sensing: present capabilities and future possibilities. *Remote Sensing of Environment*, **35**, 243–256.
- Trivett N.B.A. (1989) A comparison of seasonal cycles and trends in atmospheric CO<sub>2</sub> concentration as determined from robust and classical regression techniques. *Extended Abstracts of Papers Presented at the Third Internat. Conf. on Analysis and Evolution of Atmospheric CO<sub>2</sub>*, Data. W.M.O., Univ. Heidelberg, 299–304.
- Turelli M. and Begun D.J. (1997) Haldane's rule and X-chromosome size in *Drosophila*. *Genetics*, **147**, 1799–1815.

- Turkov V.G. (1979) Wind uprooting (treefall) in virgin forest as a biogeocenotic phenomenon (by example of mountain fir-spruce forests in the Central Ural). In: *Dark Coniferous Forests of the Middle Ural*. Works of Animal and Plant Ecology Institute, Vipusk 128, Sverdlovsk, 121–140 (in Russian).
- Vasilevich V.I. (1983) *Essays of Theoretical Phytocenology*. Nauka, Leningrad (in Russian).
- Vasilevich V.I. (1993) Some new trends in the vegetation dynamics study. *Botanical Journal*, **78**, 1–15 (in Russian).
- Vetrova V.P. (1987) The influence of stand structure on character of consortium connection of big black capricorn beetle with Siberian fir trees. In: Vladishevsky D.V. and Petrenko E.S. (Eds.) *Ecological Estimation of Habitat Condition of Forest Animals*. Nauka, Novosibirsk, 106–116 (in Russian).
- Vinogradov M.E. and Shushkina E.A. (1988) Quantitative characteristics of the Pacific pelagic community. Production regions and estimates of photosynthetic primary production. *Oceanologija*, **28**, 819–829 (in Russian).
- Vitousek P.M., Ehrlich P.R., Ehrlich A.H.E. and Matson P.A. (1986) Human appropriation of the products of photosynthesis. *Bioscience*, **36**, 368–375.
- Vitousek P.M., Mooney H.A., Lubchenko J. and Mellilo J.M. (1997) Human domination of earth ecosystems. *Science*, **277**, 494–499.
- Vladyshevsky D.V. and Petrenko E.S. (Eds.) (1987). *Ecological Estimation of Habitat Condition of Forest Animals*. Nauka, Novosibirsk (in Russian).
- Vogel F. and Motulsky A.G. (1979), (1982), (1986) *Human Genetics*. Springer-Verlag, Berlin.
- Vogel F. and Rathenberg R. (1975) Spontaneous mutation in man. *Adv. Hum. Genetics*, **5**, 223–318.
- Volkov A.D. (1998) Natural properties of primary forests in the taiga zone and problem of their conservation. In: Gorshkov V.G., Makarieva A.M., Kharkina T. (Eds.) Proc. Int. Sem. *Role of Virgin Terrestrial Biota in the Modern Processes of Global Change: Biotic Regulation of the Environment*. 12–16 October 1998, Petrozavodsk, Russia. PNPI, Gatchina, 240–248.
- Vorisek P., Votypka J., Zvara K. and Svobodova M. (1998) Heteroxenous coccidia increase the predation risk of parasitized rodents. *Parasitology*, **117**, 521–524.
- Vorontsov A.I. (1963) *Biological Fundamentals of Forest Protection*. 2nd Ed. Vysshaja shkola, Moscow (in Russian).
- Wang S., Foote W.C. and Bunch T.D. (1990) Genetic variability in domesticated and wild sheep based on blood protein characters. *Comp. Biochem. Physiol. B*, **96**, 201–207.
- Watts J.A. (1982) The carbon dioxide question: Data sampler. In: Clark W.C. (Ed.) *Carbon Dioxide Review*. Clarendon Press, New York.
- White M.J.D. (1973) *Animal Cytology and Evolution*. CUP, Cambridge.
- White R. and Lalouel J.-M. (1988) Chromosome mapping with DNA markers. *Sci. Am.*, **258**, 22.
- Whitmore T. (1991) *An Introduction to Tropical Rain Forest*. Clarendon Press, Oxford.
- Whittaker R.H. (1975) *Communities and Ecosystems*. Macmillan, New York.
- Whittaker R.H. and Likens G.E. (1975) The biosphere and man. In: Lieth H. and Whittaker R. (Eds.) *Primary Productivity of the Biosphere*. Springer-Verlag, Berlin, 305–328.
- Whittaker R.H. and Woodwell G.M. (1968) Dimension and production relations of trees and shrubs in the Brookhaven Forest, New York. *Journal of Ecology*, **56**, 1–25.
- Whittaker R.H. and Woodwell G.M. (1969) Structure production and diversity of the oak-pine forest at Brookhaven, New York. *Journal of Ecology*, **57**, 157–176.
- Wiebinga C.J. and de Baar H.J.W. (1998) Determination of the distribution of dissolved organic carbon in the Indian sector of the Southern Ocean. *Marine Chemistry*, **61**, 185–201.
- Williams G.C. (1975) *Sex and Evolution*. Princeton University, New York.
- Willson R.C. (1984) Measurements of solar total irradiance and its variability. *Space Science Reviews*, **38**, 203–242.
- Wilson D.S. (1980) *The Natural Selection of Populations and Communities*. Benjamin Cummings, Menlo Park, California, USA.
- Wilson D.S. (1997) Biological communities as functionally organised units. *Ecology*, **78**, 2018–2024.
- Wilson E.O. (1975) *Sociobiology*. Harvard University Press, Cambridge MA.
- Wilson E.O. (1989) Threats to biodiversity. *Sci. Am.*, **261**, 108.
- Wilson E.O. (Ed.) (1988) *Biodiversity*. Natl. Acad. Press, Washington.
- Winberg G.G. (1976) Dependence of energetic metabolism on body mass in water ectothermic animals. *J. General Biology*, **37**, 56–64 (in Russian).
- Winberg G.G. (Ed.) (1979) *Fundamentals of Aquatic Ecosystems Research*. Nauka, Leningrad (in Russian).
- Wofsy S.C., Goulden M.L., Munger J.W., Fan S.-M., Bakwin P.S., Daube B.C., Bassow S.L. and Bazzaz F.A. (1993) Net exchange of CO<sub>2</sub> in a mid-latitude forest. *Science*, **260**, 1314–1317.
- World Bank (1997) *Russia. Forest Policy During Transition*. The World Bank, Washington, DC, USA.
- World Resources 1988–1989, (1988) **16. Land Cover Settlements**. Basic Books, Inc., New York, 64–265.
- Wright S. (1932) The roles of mutation, inbreeding, crossbreeding, and selection in evolution. Proc. 6th Int. Congr. Genet., **1**, 356–366.
- Wright S. (1988) Surfaces of selective value revisited. *Am. Nat.*, **131**, 115–123.
- Wynne-Edwards V.C. (1986) *Evolution Through Group Selection*. Blackwell, Oxford.
- Yurgenson P.B. (1973) *Ecological Fundamentals of Hunting Economy in Forests*. (Forest Industry) Lesnaja promishlennost, Moscow (in Russian).
- Zaboyeva I.V. (1975). *Soils and Land Resources in Komi ASSR*. Komi knizhnoe izdatelstvo, Syktyvkar (in Russian).
- Zackrisson O. (1977) Influence of forest fires on the North Swedish boreal forests. *Oikos*, **29**, 22–32.
- Zjabchenko S.S. (1984). *Pine Forests of the European North*. Nauka LO, Leningrad (in Russian).

Zonn S.V. (Ed.) (1991) *Degradation and Recovery of Forest Soils*. Nauka, Moscow (in Russian).

Zuckerkandl E. (1987) On the molecular evolutionary clock. *J. Mol. Evol.*, **26**, 34–46.

Zuckerkandl E. and Pauling L. (1965) Evolutionary divergence and convergence in proteins. In: Bryson V. and Vogel H.J. (Eds.) *Evolving Genes and Proteins*. Academic, New York, 97–165.

## Index

- Adaptation 3–5, 7–8, 10, 12–13, 250, 263–265, 267–268, 271, 292–293, 296, 328, 335
- Adaption ( $\equiv$  adaptedness), 11–12, 263–265
- Albedo, 8, 119, 218–222, 231–239
- Autosomes, 288
  - genetic variability, 311
- Basal area, 184, 191, 192
- Biogens, 110, 119
  - locally regulated, 127, 132, 138, 143
  - globally regulated, 17, 18, 128–131, 143–144, 172
  - biotically non-regulated, 132, 133, 140, 172
  - limiting, 133–138, 148, 152, 153, 161, 163, 164
- Calorific coefficient, 61
- Carnot efficiency, 62, 205, *see also* p. 239
- Climax, *see* ecological community
- Clouds, cloudiness 173, 201, 218, 222, 229–230, 234–236
- Competitive interaction, 15, 37–38, 137–138, 253
- Competitiveness ( $\equiv$  competitive capacity), 252
- Decay, 15–16, 28, 31, 33–38, 201–203
  - individuals (definition), 39
  - tail, 267, 317, 318, 323, 324
- DIC, *see* dissolved inorganic carbon
- Diploid(y), 284–287
- Dissolved inorganic carbon, 146, 147, 151, 156
- Dissolved organic carbon, 153–154, 156, 160
  - non-stationarity in the ocean, 163–164
- DOC, *see* dissolved organic carbon
- Ecological community, 2, 10, 46, 57–59
  - climax, 178–181
  - decay, 180
  - finite size of, 18, 74
  - successional, 181
- Effective population size, 297–298
- Efficiency of energy transformation, 205, 239
- Evolution
  - eukaryotes, 322
  - gradual, 318, 320
  - prokaryotes, 320
  - saltatory, 320
- Fires
  - ecological role (negative), 191, 193–194
  - natural periodicity (low), 194–195
- Fishery
  - inefficiency of modern, 330
- Fitness, 252–253, 257, 266
- Fungous diseases, 196–197
- Genetic recombination, 269–270, 278–281
- Genetic variability
  - autosomes, 311
  - interspecific, 275, 198

**Genetic variability (cont.)**  
 intraspecific, 5, 295–299, 303, 305, 314  
 lethal threshold, 246–249, 309  
 sex chromosomes, 311  
**Genome**  
 decay rate, 244–245, 283  
 degeneration, 268  
 normal (definition), 261  
 size, 244  
 size in amphibians, 312–313  
 size in insects, 311–312  
**Genotype**  
 decay, 256  
 normal, 256  
**Geothermal power**, 205, 206  
**Greenhouse effect**, 218–222  
 absolute (definition), 222  
 relative (definition), 219, 224  
**Greenhouse gases**, 218, 220  
**Group selection**, 47, 49  
  
**Haldane's Rule**, 290–291  
**Haplod(y)**, 284–287  
**Hermaphrodites**, 280, 281, 283  
**Heterogametic (sex, individuals)**, 288, 290  
**Heterosis**, 292  
**Heterozygosity**  
 autosomal (definition), 288  
 ecological threshold, 296  
 high in domestic species, 304–306  
 in mammals, 301, 313  
 in amphibians, 313  
 in haplodiploid insects, 310  
 in diploid insects, 311  
 lethal, 290, 294  
 single-locus, 303  
**Heterozygous locus**, 288  
**Homogametic (sex, individuals)**, 288, 290  
**Humans**  
 average heterozygosity, 305  
 behavioural strategy, 216  
 energy consumption, 20, 166–168, 206,  
   330  
 global population number, 30, 167, 330,  
   331  
 sociality, 16, 31–32  
 unique property, 207, 329  
**Hybrid force**, 292  
**Hydraulic power**, 206

**Information**  
 fluxes, 207–209  
 stores, 209–212  
**Insect invasions**, 196–197  
  
**Large animals**  
 ecological role, 104–105  
 regulation of population density, 18–19,  
   20  
**Law**  
 animal locomotion, 76  
 large numbers, 72  
 Pasteur's, 34, 49  
 plant immobility, 76  
 second of thermodynamics, 49–50  
**Leaf area index**, 68, 72–73, 175  
**Life**  
 meaning 334–336  
**Local ecosystem**, 2, 74  
  
**Melanism (industrial)**, 272  
**Metabolic**  
 power, 62  
 rate, 62  
**Molecular clock**, 298, 327  
**Molecular memory cell**, 211  
**Monogamy**, 283  
**Monomorphic locus**, 300  
**Mortality**, 246  
 effect of diploidy, 286  
 high in horses, 246  
**Mutation rate (probability)**, 243  
**Mutations**  
 macro, 242, 243  
 neutral, 245  
 point, 242, 243  
 positive (progressive), 245, 320  
 positive to decay ratio, 320–321  
 suppressor, 268  
  
**Neutral theory**, 297  
**New primary production**, 145, 149–150  
**Noncompetitiveness (definition)**, 252  
**Nutrients**, *see* biogens  
  
**Parthenogenesis (parthenogenetic)**, 281, 283  
**Poisson**  
  
**distribution**, 244, 246, 248, 253, 279, 300,  
   303  
**multiplicity**, 244, 248, 279, 303  
**Polymorphic locus (definition)**, 300  
**Polymorphism**, 262  
 normal, 262  
 decay, 262  
 adaptive, 262  
**Polygamy**, 283  
**Polygyny**, 283  
**Polyandry**, 283  
**Population (definition)**, 47–48  
  
**Races, genetic equivalence**, 258–259,  
   276–277  
**Redfield ratio**, 121, 148, 159  
**Resources**, 5, 15, 29, 106, 115, 137, 138, 202,  
   329  
 genetic, 23  
 non-renewable, 114–115, 134, 135  
 renewable, 115, 134, 135  
  
**Selection**  
 coefficient  $s$ , 252, 297  
 stabilising 6–7, 10, 15–16, 30, 37, 41–50,  
   54–55, 57, 72, 74, 85, 99, 105, 109, 137,  
   142, 144, 193, 216, 245, 248–249, 252,  
   266, 278, 283, 309–310, 315–318  
  
**Temperature**  
 orbital (definition), 219  
 effective planetary (definition), 219  
**Tidal power**, 206  
  
**Wind power**, 206